VOLUME 70: AUTHOR INDEX

Abe Y, Kawakami M, Kuroki M, Yamamoto T, Fujii M, Kobayashi H, Yaginuma T, Kashii A, Saito M, Matsushima K. Transient rise in serum interleukin-8 concentration during acute myocardial infarction, **132**

Abushaban L, Denham B, Duff D. 10 year review of cardiac tumours in childhood, **166**

Agnew JE *see* Uren NG *et al*

Agostoni PG *see* Pepi M *et al*

Aili H *see* Rosenqvist M *et al*

Algra A, Tijssen JGP, Roelandt JRTC, Pool J, Lubsen J. Contribution of the 24 hour electrocardiogram to the prediction of sudden coronary death, **421**

Algra A, Tijssen JGP, Roelandt JRTC, Pool J, Lubsen J. QT interval variables from 24 hour electrocardiography and the two year risk of sudden death, **43**

Almeida MR *see* Hesse A *et al*

Altland K *see* Hesse A *et al*

Amarasena NL, Pillai RP, Forfar JC. Atypical ventricular tachycardia and syncope with left coronary artery origin from the right coronary sinus: *case report*, **391**

Amerling R *see* Fujise K *et al*

Anand IS, Chandrashekhar Y, Ferrari R, Poole-Wilson PA, Harris PC. Pathogenesis of oedema in chronic severe anaemia: studies of body water and sodium, renal function, haemodynamic variables, and plasma hormones, **357**

Anderson RH. Arrhythmogenic right ventricular dysplasia: *correspondence reply*, **293**

Astridge PS, Kaye GC, Perrins EJ. Current approaches and future developments in automatic tachycardia detection and diagnosis: *review*, **106**

Avery P, Hudson N, Hubner P. Evaluation of changes in myocardial perfusion and function on exercise inpatients with coronary artery disease by gated MIBI scintigraphy, **22**

Bainton D *see* Elwood PC *et al*

Baker K *see* Lewis SJ *et al*

Banning AP, Pearson JF, Hall RJC. Role of balloon dilatation of the aortic valve in pregnant patients with severe aortic stenosis, **544**

Barbier P *see* Pepi M *et al*

Bashir Y, McKenna WJ, Camm AJ. Beta blockers and the failing heart: is it time for a U-turn? *review*, **8**
see also Haywood GA *et al*

Bassenge D *see* Kasper W *et al*

Baxendall M *see* Till JA *et al*

Beattie J *see* O'Hickey S *et al*

Beitzke A *see* Zenz W *et al*

Benetar A *see* Till JA *et al*

Bennett DH *see* Grant SCD *et al*

Bergfeldt L *see* Rosenqvist M *et al*

Bersin RM, Kwasman M, Lau D, Klinski C, Tanaka K, Khorrami P, DeMarco T, Wolfe C, Chatterjee K. Importance of oxygen-haemoglobin binding to oxygen transport in congestive heart failure, **443**

Beswick A *see* Elwood PC *et al*

Bexton RS *see* McComb JM *et al*

Bhattacharya S *see* Sridhara BS *et al*

Blackburn MEC, Gibbs JL. Ventricular pacing from the coronary sinus of a patient with a Fontan circulation, **578**

Blayer Y *see* Reisin L *et al*

Bloomfield P *see* Groundstroem K *et al*

Bogers AJJC *see* Witsenburg M *et al*

Bohn DJ *see* Houde C *et al*

Bonarjee VVS *see* Omland T *et al*

Bonnier H, de Vries C, Michels R, El Gamal M. Initial and long-term results of coronary angioplasty and coronary bypass surgery in patients of 75 or older, **122**

Book reviews

Bing RJ, *editor*. Cardiology: the evolution of the science and the art, 1992, **589**

Labovitz AJ, Pearson AC. Transesophageal echocardiography: basic principles and clinical applications, 1993, **485**

Marmot M, Elliott P, *editors*. Coronary heart disease epidemiology: from aetiology to public health, 1992, **99**

Missri J. Transesophageal echocardiography: clinical and intraoperative applications, 1993, **485**

Paul LC, Solez K, *editors*. Organ transplantation: long-term results, 1992, **294**

Silverman NH. Pediatric echocardiography, 1993, **589**

Smith P, Taylor K, *editors*. Cardiac surgery and the brain, 1993, **589**

Sutherland GR, Roelandt JRTC, Fraser AG, Anderson RH. Transesophageal echocardiography: in clinical practice, 1991, **485**

Wooley CF. Academic heritage: the transmission of excellence. Cardiology at the Ohio State University, 1993, **589**

Brachmann J *see* Schweizer MWF *et al*

Brady AJB, Poole-Wilson PA. Circulatory failure in septic shock. Nitric oxide: too much of a good thing? *review*, **103**

Brenot F *et al*. Primary pulmonary hypertension and fenfluramine use, **537**

Breuer H-WM, Skyschally A, Schulz R, Martin C, Wehr M, Heusch G. Heart rate variability and circulating catecholamine concentrations during steady state exercise in healthy volunteers, **144**

Bridges AB *see* Kennedy NSJ *et al*

British Cardiac Society. Radiation hazards to the cardiologist, **489**

British Cardiac Society and Royal College of Physicians Joint Audit Committee *see* de Bono D

British Cardiovascular Intervention Society *see* Hubner PJB

Broadhurst P, Nathan AW. Cardiac arrest in a young woman with the long QT syndrome and concomitant astemizole ingestion: *case report*, **469**
see also Sridhara BS *et al*

Brooks N *see* Rhoden W *et al*

Brooks R *see* Rankin AC *et al*

Buchalter MB. Are streptokinase antibodies clinically important? *editorial*, **101**: *correspondence*, **590**

Buckingham JK *see* Gould IM and Buckingham JK

Bu'Lock FA, Gabriel HM, Oakhill A, Mott MG, Martin RP. Cardioprotection by ICRF187 against high dose anthracycline toxicity in children with malignant disease, **185**

Bu'Lock FA, Joffe HS, Jordan SC, Martin RP. Balloon dilatation (valvoplasty) as first line treatment for severe stenosis of the aortic valve in early infancy: medium term results and determinants of survival, **546**

Butler J, Harriss DR, Sinclair M, Westaby S. Amiodarone prophylaxis for tachycardias after coronary artery surgery: a randomised, double blind, placebo controlled trial, **56**

Caine N *see* Higenbottam TW *et al*

Camm AJ *see* Bashir Y *et al*
Katritsis D and Camm AJ

Canova R *see* Cugini P *et al*

Caplin JL. Small ductus arteriosis: *correspondence*, **98**

Carceller-Blanchard A-M, Fouron J-C. Determinants of the Doppler flow velocity profile through the mitral valve of the human fetus, **457**

Cartier R *see* Lemery R *et al*

Carvalho JS, Silva CMC, Rigby ML, Shinebourne EA. Angiographic diagnosis of anomalous coronary artery in tetralogy of Fallot, **75**

Celermajer DS, Robinson JTC, Taylor JFN. Vascular access in previously catheterised children and adolescents: a prospective study of 131 consecutive cases, **554**

Celeste F *see* Pepi M *et al*

Chamberlain DA *see* Lewis SJ *et al*

Chan K-L *see* Giannoccaro PJ *et al*

Chandrashekhar Y *see* Anand IS *et al*

Channon K *see* Hargreaves M *et al*

Chatterjee K, Collins P. Ischaemic heart failure: is prevention in sight? *editorial*, **5**
see also Bersin RM *et al*

Chauhan A, Mullins PA, Thurnisingham SI, Petch MC, Schofield PM. Clinical presentation and functional prognosis in syndrome X, **346**

Chen Y-T, Hwang C-L, Kan M-N. Large, isolated, congenital aneurysm of the anterior descending coronary artery: *case report*, **274**

Chenzbraun A, Pinto FJ, Popylisen S, Schnittger I, Popp RL. Comparison of acoustic quantification and Doppler echocardiography in assessment of left ventricular diastolic variables, **448**

Cheriex EC, Smeets JLRM, Wellens HJJ. Two unusual complications after surgical interruption of an accessory pathway: *case report*, **471**

Choy AM *see* Kennedy NSJ *et al*

Cianetti A *see* Cugini P *et al*

Cioili AR *see* Cugini P *et al*

Clarke D *see* Holdright DR *et al*

Cleland JGF, Parker DJ. British Cardiac Society Newsletter, **99**
see also Parker DJ and Cleland JGF

Coelho WMC *see* Jacob JLB *et al*

Collins P *see* Chatterjee K and Collins P Holdright DR *et al*
Colquhoun MC. General practitioners and the treatment of myocardial infarction: the place of thrombolytic treatment: *viewpoint*, 215
Counihan PJ *see* Haywood GA *et al*
Coutu B *see* Lemery R *et al*
Cowan JC. Antiarrhythmic drugs in the management of atrial fibrillation: *editorial*, 304
Crijns HJGM *see* van den Berg MP *et al*
Cross SJ, Dean JCS, Lee HS, Norton MY, Evans NTS, Smith F, Jennings K, Walton S. Study of left and right ventricular function in Romano-Ward syndrome, 266
Lee HS, Kenmure A, Walton S, Jennings K. First myocardial infarction in patients under 60 years old: the role of exercise tests and symptoms in deciding whom to catheterise, 428
see also Lee HS *et al*
Cugini P, Lucia P, Scibilia G, Di Palma L, Cioli AR, Cianetti A, Gasbarrone L, Canova R, Marino B. Lack of circadian rhythm of plasma concentrations of vasoactive intestinal peptide in patients with orthotopic heart transplants, 363
Cunningham AD *see* Holdright DR *et al*
Cunningham D *see* Patel D *et al*
Currie P, Sutherland GR, Starkey IR. Thrombolysis as an emergency treatment for a thrombosed prosthetic mitral valve diagnosed by transoesophageal echocardiography: *case report*, 198
Curzen N *see* Patel D *et al*

Danielson GK *see* Nishimura RA and Danielson GK
Davies M *see* Mills P and Davies M
Davies MJ *see* Kallis P *et al*
Davies SW, Wedzicha JA. Hypoxia and the heart: *correspondence*, 98
see also Uren NG *et al*
de Belder A, Thomas M, Marrinan M. Traumatic rupture of the thoracic aorta diagnosed by transoesophageal echocardiography: *case report*, 393
De Bono D, on behalf of the Joint Audit Committee of the British Cardiac Society and Royal College of Physicians of London. Complications of diagnostic cardiac catheterisation: results from 34 041 patients in the United Kingdom confidential enquiry into cardiac catheter complications, 297
De Caterina R *see* Kristensen SD *et al*
de Vries C *see* Bonnier H *et al*
Dean JCS *see* Cross SJ *et al*
Delamere F *see* Dutka DP *et al*
Delany DJ *see* Flynn PD *et al*
Delprado WJ *see* Tsintsof A *et al*
DeMarco T *see* Bersin RM *et al*
Denham B *see* Abushaban L *et al*
Di Palma L *see* Cugini P *et al*
Dickhaus H *see* Schweizer MWF *et al*
Dickstein K *see* Omland T *et al*
Dietz U, Erbel R, Rupprecht H-J, Weidmann S, Meyer J. High frequency rotational ablation: an alternative in treating coronary artery stenoses and occlusions, 327
Dinh-Xuan AT *see* Higenbottam TW *et al*
Doria E *see* Pepi M *et al*
Douglas-Jones AG *see* Groves PH *et al*
Drici M-D *see* Hofman P *et al*
Duff D *see* Abushaban L *et al*
Dumoulin M *see* Reybrouck T *et al*
Dunn FG *see* Gemmill JD *et al*
Duroux P *see* Brenot F *et al*
Dutka DP, Elborn JS, Delamere F, Shale DJ, Morris GK. Tumour necrosis factor-alpha in severe congestive cardiac failure, 141
see also Patel S *et al*
Dyke L *see* Lim R *et al*
Dymond DS *see* Lim R *et al*

El Gamal M *see* Bonnier H *et al*
Elborn JS *see* Dutka DP *et al*
Elwood PC, Beswick A, O'Brien JR, Renaud S, Fifield R, Limb ES, Bainton D. Temperature and risk factors for ischaemic heart disease in the Caerphilly prospective study, 520
Endres S *see* Kristensen SD *et al*
Epstein LM *see* Fitzpatrick AP *et al*
Erbel R *see* Dietz U *et al*
Ernst E. Does weight loss reduce plasma fibrinogen? *commentary*, 116
Evans NTS *see* Cross SJ *et al*
Eykyn SJ *see* Wilmshurst PT *et al*

Faragher EB *see* Grant SCD *et al*
Ferrari R *see* Anand IS *et al*
Fifield R *see* Elwood PC *et al*
Firmin DN *see* Pennell DJ *et al*
Fitzpatrick AP, Epstein LM, Lesh MD. Financial audit of antitachycardia pacing for the control of recurrent supraventricular tachycardia: *correspondence*, 292
Flynn PD, Delany DJ, Gray HH. Magnetic resonance angiography in subclavian steal syndrome: *case report*, 193
Fontaine G. Arrhythmogenic right ventricular dysplasia: *correspondence*, 293
Forbat LN, Skehan JD. Cost effectiveness of prophylaxis in dental practice to prevent infective endocarditis: *correspondence*, 591
Forfar JC *see* Amarasena NL *et al*
Fouron J-C *see* Carceller-Blanchard A-M and Fouron J-C
Fox K *see* Holdright DR *et al* Patel D *et al*
Fox KM *see* Holdright DR *et al*
Freedom RM *see* Houde C *et al*
Fujii M *see* Abe Y *et al*
Fujise K, Amerling R, Sherman W. Rapid progression of mitral and aortic stenosis in a patient with secondary hyperparathyroidism: *case report*, 282
Fulton WFM. Pathological concepts in acute coronary thrombosis: relevance to treatment: *review*, 403
Fuster V *see* Higenbottam TW *et al*

Gabriel HM *see* Bu'Lock FA *et al*
Gaer JAR, Gordon L, Wharton J, Polak JM, Taylor KM, McKenna W, Parker DJ. Intractable chest pain in cardiomyopathy: treatment by a novel technique of cardiac cryodenervation with quantitative immunohistochemical assessment of success, 574
Gallagher PJ *see* Roberts TL *et al*
Gamillscheg A *see* Zenz W *et al*
Garan H *see* Rankin AC *et al*
Garratt CJ *see* Slade AKB and Garratt CJ
Garzon SAC *see* Jacob JLB *et al*
Gasbarrone L *see* Cugini P *et al*
Gatehouse PD *see* Pennell DJ *et al*
Geibel A *see* Kasper W *et al*
Gemmill JD, Lifson WK, Rae AP, Hillis WS, Dunn FG. Assessment by general practitioners of suitability of thrombolysis in patients with suspected acute myocardial infarction, 503
Gettes LS, Sapin P. Concerning falsely negative and falsely positive electrocardiographic responses to exercise: *editorial*, 205
Gewillig M *see* Reybrouck T *et al*
Giannoccaro PJ, Sochowski RA, Morton BC, Chan K-L. Complementary role of transoesophageal echocardiography to coronary angiography in the assessment of coronary artery anomalies, 70
Gibbs JL. Developments in interventional cardiac catheterisation and progress in surgery for congenital heart disease: achieving a balance: *correspondence*, 96
see also Blackburn MEC and Gibbs JL
Gibelin P *see* Hofman P *et al*
Gildein HP, Günther S, Mocellin R. Complete heart block in a 9 year old girl caused by borreliosis: *case report*, 88
Gordon L *see* Gaer JAR *et al*
Gosselink ATM *see* van den Berg MP *et al*
Gould IM, Buckingham JK. Cost effectiveness of prophylaxis in dental practice to prevent infective endocarditis: *audit*, 79
Grabitz RG *see* Mühler EG *et al*
Grainger R *see* Lewis SJ *et al*
Grant SCD, Faragher EB, Hufton AP, Bennett DH. Use of a remotely controlled mechanical pump for coronary arteriography: a study of radiation exposure and quality implications, 479
Gray HH *see* Flynn PD *et al*
Gray RP, Yudkin JS, Patterson DL. Enzymatic evidence of impaired reperfusion in diabetic patients after thrombolytic therapy for acute myocardial infarction: a role for plasminogen activator inhibitor? 530
Griffith MJ *see* McComb JM *et al*
Groundstroem K, Rittoo D, Hoffman P, Bloomfield P, Sutherland GR. Additional value of biplane transoesophageal imaging in assessment of mitral valve prostheses, 259
Groves PH, Douglas-Jones AG, Hall RJC. Amyloid, thrombosis, and acute myocardial infarction in association with a bicuspid aortic valve: *case report*, 560
Guazzi MD *see* Pepi M *et al*
Günther RW *see* Mühler EG *et al*
Günther S *see* Gildein HP *et al*
Gutierrez PS. Arrhythmogenic right ventricular dysplasia: *correspondence*, 293

Hall RJC *see* Banning AP *et al* Groves PH *et al*
Hamid BNA *see* Henderson RA *et al*
Hannaford P *see* Waine C *et al*
Hanson JK *see* Kennedy NSJ *et al*

Hargreaves M, Channon M, Ormerod O. Emergency percutaneous transluminal coronary angioplasty (PTCA) for intractable ventricular arrhythmias associated with acute anterior myocardial infarction: *correspondence*, **485**
Harris PC *see* Anand IS *et al*
Harriss DR *see* Butler J *et al*
Hasleton P *see* Henderson RA *et al*
Rhoden W *et al*
Haupt H-M *see* Neumann F-J *et al*
Haywood GA, Counihan PJ, Sneddon JF, Jennison SH, Bashir Y, McKenna WJ. Increased renal and forearm vasoconstriction in response to exercise after heart transplantation, **247**
Haywood GA, O'Connell S, Gray HH. Lyme carditis: a United Kingdom perspective: *commentary*, **15**
Heinz G. Permanent pacing after cardiac transplantation: *correspondence*, **590**
Henderson RA, Hasleton P, Hamid BNA. Recurrence of Churg Strauss vasculitis in a transplanted heart: *short cases in cardiology*, **553**
Herve P *see* Brenot F *et al*
Hess J *see* Witsenburg M *et al*
Hesse A, Aitland K, Linke RP, Almeida MR, Saraiva MJM, Steinmetz A, Maisch B. Cardiac amyloidosis: a review and report of a new transthyretin (prealbumin) variant, **111**
Hetzel J *see* Wieshammer S *et al*
Hetzel M *see* Wieshammer S *et al*
Heusch G *see* Breuer H-WM *et al*
Higenbottam TW, Spiegelhalter D, Scott JP, Fuster V, Dinh-Xuan AT, Caine N, Wallwork J. Prostacyclin (epoprostenol) and heart-lung transplantation as treatments for severe pulmonary hypertension, **366**
Hii JTY *see* Lemery R *et al*
Hillege HJ *see* van den Berg MP *et al*
Hillis WS *see* Gemmill JD *et al*
Hilson AJW *see* Uren NG *et al*
Hofbeck M, Wild F, Singer H. Improved visualisation of a coronary artery fistula by the "laid-back" aortogram: *technique*, **272**
Hoffman P *see* Groundstroem K *et al*
Hofman P, Drici M-D, Gibelin P, Michiels J-F, Thyss A. Prevalence of toxoplasma myocarditis in patients with the acquired immunodeficiency syndrome, **376**
Holden SR *see* Parry GW *et al*
Holdright DR, Clarke D, Poole-Wilson PA, Fox K, Collins P. Endothelium dependent and independent responses in coronary artery disease measured at angioplasty, **35**
Holdright DR, Katz RJ, Wright CA, Sparrow JL, Sullivan AK, Cunningham AD, Fox KM. Lack of rebound during intermittent transdermal treatment with glyceryl trinitrate in patients with stable angina on background beta-blocker: *correspondence*, **486**
Holdright DR, Lindsay DC, Clarke D, Fox K, Poole-Wilson PA, Collins P. Coronary flow reserve in patients with chest pain and normal coronary arteries, **513**
Hollman A. How John Parkinson did the post mortem on Sir James Mackenzie: *views from the past*, **587**
Holmberg S *see* Lewis SJ *et al*
Hombach V *see* Wieshammer S *et al*
Houde C, Bohn DJ, Freedom RM, Rabinovitch M. Profile of paediatric patients with pulmonary hypertension judged by responsiveness to vasodilators, **461**
Hubner P *see* Avery P *et al*
Hubner PJB, on behalf of the British Cardiovascular Intervention Society. Cardiac interventional procedures in the United Kingdom during 1991: *audit*, **201**
Hudson N *see* Avery P *et al*
Hufton AP *see* Grant SCD *et al*
Hwang C-L *see* Chen Y-T *et al*

Irwin AG *see* Uren NG *et al*

Jacob JLB, Coelho WMC, Machado NCS, Garzon SAC. Initial experience with balloon dilatation of supravalvar aortic stenosis: *technique*, **476**
Jalihal S *see* Patel S *et al*
Jennings K *see* Cross SJ *et al*
Lee HS *et al*
Jennison SH *see* Haywood GA *et al*
Jindani A, Williams BT. Postoperative cardiac surgical care: an alternative approach: *correspondence*, **98**
Joffe HS *see* Bu'Lock FA *et al*
Jordan SC *see* Bu'Lock FA *et al*
Jordan SL *see* Uren NG *et al*
Just H *see* Kasper W *et al*

Kallis P, Keogh BE, Davies MJ. Pseudoaneurysm of aortocoronary vein graft secondary to late venous rupture: case report and literature review, **189**
Kan M-N *see* Chen Y-T *et al*
Karani S *see* Tan KH *et al*
Kashii A *see* Abe Y *et al*
Kasper W, Geibel A, Tiede N, Bassenge D, Kauder E, Konstantinides S, Meinertz T, Just H. Distinguishing between acute and subacute massive pulmonary embolism by conventional and Doppler echocardiography, **352**
Katritsis D, Camm AJ. Chronotropic incompetence: a proposal for definition and diagnosis: *for debate*, **400**
Katz RJ *see* Holdright DR *et al*
Kauder E *see* Kasper W *et al*
Kawakami M *see* Abe Y *et al*
Kay C *see* Waine C *et al*
Kaye GC *see* Astridge PS *et al*
Kearney P, Reardon M, O'Hare J. Primary hyperparathyroidism presenting as torsades de pointes: *short cases in cardiology*, **473**
Keegan J *see* Pennell DJ *et al*
Kenmure A *see* Cross SJ *et al*
Kennedy NSJ, Hanson JK, Bridges AB, Choy AM. Viable myocardium and reinjection of thallium: *correspondence*, **291**
Keogh AM *see* Tsintsof A *et al*
Keogh BE *see* Kallis P *et al*
Khorrami P *see* Bersin RM *et al*
Kikuchi T *see* Suzuki K *et al*
Kingma JH *see* Van Hemel NM *et al*
Kirchner U *see* Schweizer MWF *et al*
Klinski C *see* Bersin RM *et al*
Kobayashi H *see* Abe Y *et al*
Kochs M *see* Wieshammer S *et al*
Konstantinides S *see* Kasper W *et al*
Kristensen SD, De Caterina R, Schmidt EB, Endres S. Fish oil and ischaemic heart disease: *review*, **212**
Kronik G *see* Salzer-Muhar U *et al*
Kübler W *see* Schweizer MWF *et al*
Kuroki M *see* Abe Y *et al*
Kwasman M *see* Bersin RM *et al*

Laallee E *see* Lemery R *et al*
Lahiri A *see* Sridhara BS *et al*
Lampe FC *see* Roberts TL *et al*
Lau D *see* Bersin RM *et al*
Lavoie L *see* Lemery R *et al*
Lee HS, Cross SJ, Jennings K. Are streptokinase antibodies clinically important? *correspondence*, **590**
see also Cross SJ *et al*
Lemery R, Talajic M, Roy D, Lavoie L, Coutu B, Hii JTY, Radzik D, Lavallee E, Cartier R. Results of a comparative study of low energy direct current with radiofrequency ablation in patients with the Wolff-Parkinson-White syndrome, **580**
Lesh MD *see* Fitzpatrick AP *et al*
Lewis SJ, Holmberg S, Quinn E, Baker K, Grainger R, Vincent R, Chamberlain DA. Out-of-hospital resuscitation in East Sussex: 1981 to 1989, **568**
Lie KI *see* van den Berg MP *et al*
Lie RT *see* Omland T *et al*
Lifson WK *see* Gemmill JD *et al*
Lim R, Dyke L, Thomas J, Dymond DS. Novel approach to the interpretation of long-term "deterioration" in ejection fraction in individual patients with coronary artery disease, **226**
Limb ES *see* Elwood PC *et al*
Lindsay DC *see* Holdright DR *et al*
Linke RP *see* Hesse A *et al*
Lipkin DP *see* Uren NG *et al*
Littler WA *see* Lynch M *et al*
Liu XJ *see* Sridhara BS *et al*
Longmore DB *see* Pennell DJ *et al*
Lubsen J *see* Algra A *et al*
Lucia P *see* Cugini P *et al*
Ludman PF, Poole-Wilson PA. Myocardial perfusion in humans: what can we measure? *review*, **307**
Lynch M, Pentecost B, Littler WA, Stockley RA. Streptokinase resistance: when might streptokinase administration be ineffective? *correspondence*, **97**

McComb JM. Safety of antiarrhythmic drugs in children: *commentary*, **13**
McComb JM, Griffith MJ, Bexton RS. Financial audit of antitachycardia pacing for the control of recurrent supraventricular tachycardia: *correspondence* reply, **292**
McCrea WA, Saltissi S. Electrocardiogram interpretation in general practice: relevance to prehospital thrombolysis, **219**
McEwan J. Therapeutic approaches to the control of fibrocellular intimal hyperplasia after angioplasty: *editorial*, **1**
Macfarlane PW *see* Shaper AG *et al*
McGovern BA *see* Rankin AC *et al*
Machado NCS *see* Jacob JLB *et al*
McKenna W *see* Gaer JAR *et al*

McKenna WJ *see* Bashir Y *et al*
Haywood GA *et al*
Maisch B *see* Hesse A *et al*
Manoach M *see* Reisin L *et al*
Marchant B, Stevenson R, Vaishnav S, Ranjadayalan K, Timmis AD. Myocardial ischaemia and angina in the early post-infarction period: a comparison with patients with stable coronary artery disease, **438**
see also Stevenson R *et al*
Marchant BG *see* Stevenson RN *et al*
Marenzi GC *see* Pepi M *et al*
Marino B *see* Cugini P *et al*
Marrinan M *see* de Belder A *et al*
Martin C *see* Breuer H-WM *et al*
Martin RP *see* Bu'Lock FA *et al*
Mathé AA *see* Rosenqvist M *et al*
Matsushima K *see* Abe Y *et al*
Mazeika PK, Nihoyannopoulos P, Oakley CM. Stress echocardiography: time for critical reappraisal: *editorial*, **208**
Mehan VK, Meier B, Urban P. Balloon recanalisation of a chronically occluded left internal mammary artery graft: *case report*, **195**
Meier B *see* Mehan VK *et al*
Meijler FL. Is there such a thing as normal sinus rate? *correspondence*, **486**
Meinertz T *see* Kasper W *et al*
Messmer BJ *see* Mühler EG *et al*
Metze C *see* Schweizer MWF *et al*
Meyer J *see* Dietz U *et al*
Michels R *see* Bonnier H *et al*
Michiels J-F *see* Hofman P *et al*
Mills P. Thrombolysis for thrombosed prosthetic valves: *abstracts in cardiology*, **200**
Mills P, Davies M. Endocarditis of the tricuspid valve associated with congenital coronary arteriovenous fistula: *comment*, **276**
Mimori S *see* Suzuki K *et al*
Mocellin R *see* Gildein HP *et al*
Mori K *see* Suzuki K *et al*
Morris GK *see* Dutka DP *et al*
Patel S *et al*
Morton BC *see* Giannoccaro PJ *et al*
Mott MG *see* Bu'Lock FA *et al*
Mühler EG, Neuerburg JM, Rüben A, Grabitz RG, Günther RW, Messmer BJ, von Bernuth G. Evaluation of aortic coarctation after surgical repair: role of magnetic resonance imaging and Doppler ultrasound: *measurement*, **285**
Mulcahy D *see* Patel D *et al*
Mullins PA *see* Chauhan A *et al*
Muntean W *see* Zenz W *et al*
Murakami Y *see* Suzuki K *et al*
Muratori M *see* Pepi M *et al*
Murray RG. Which patients should have exercise testing after myocardial infarction treated by thrombolysis? *commentary*, **399**

Nathan AW *see* Broadhurst P and Nathan AW
Neuerburg JM *see* Mühler EG *et al*
Neumann F-J, Richardt G, Schneider M, Ott I, Haupt H-M, Tillmanns H, Schömig A, Rauch B. Cardiac release of chemoattractants after ischaemia induced by coronary balloon angioplasty, **27**
Nihoyannopoulos P *see* Mazeika PK *et al*
Nilsen DWT *see* Omland T *et al*
Nishimura RA, Danielson GK. Dual chamber pacing for hypertrophic obstructive cardiomyopathy: has its time come? *editorial*, **301**
Norton MY *see* Cross SJ *et al*
Nyberg G. Lack of rebound during intermittent transdermal treatment with glyceryl trinitrate in patients with stable angina on background beta-blocker: *correspondence*, **486**

Oakhill A *see* Bu'Lock FA *et al*
Oakley CM *see* Mazeika PK *et al*
O'Brien JR *see* Elwood PC *et al*
O'Hare J *see* Kearney P *et al*
O'Hickey S, Skinner C, Beattie J. Life-threatening right ventricular thrombosis in association with phospholipid antibodies: *case report*, **279**
Omland T, Bonarjee VVS, Nilsen DWT, Sundsfjord JA, Lie RT, Thibault G, Dickstein K. Prognostic significance of N-terminal pro-atrial natriuretic factor (1-98) in acute myocardial infarction: comparison with atrial natriuretic factor (99–26) and clinical evaluation, **409**
Ong ML. Endocarditis of the tricuspid valve associated with congenital coronary arteriovenous fistula: *case report*, **276**
Ormerod O *see* Hargreaves M *et al*
Ott I *see* Neumann F-J *et al*

Parent F *see* Brenot F *et al*
Parker DJ, Cleland JGF. British Cardiac Society Newsletter, **203, 294, 395, 487, 591**
see also Cleland JGF and Parker DJ; Gaer JAR *et al*
Parry GW, Holden SR, Shabbo FP. Antibiotic prophylaxis for cardiac surgery: current United Kingdom practice: *audit*, **585**
Parry R, Rees JR, Wilde P. Transient cortical blindness after coronary angiography: *case report*, **563**
Patel D, Mulcahy D, Curzen N, Sullivan A, Cunningham D, Sparrow J, Wright C, Quyyumi A, Fox K. Prognostic significance of transient ST segment changes after coronary artery bypass surgery: a long-term (4–10 year) follow up study, **337**
Patel S, Jalihal S, Dutka DP, Morris GK. Streptokinase neutralisation titres up to 866 days after intravenous streptokinase for acute myocardial infarction, **119**
Patterson DL *see* Gray RP *et al*
Pearson JF *see* Banning AP *et al*
Peart I *see* Sreeram N *et al*
Pennell DJ, Keegan J, Firmin DN, Gatehouse PD, Underwood SR, Longmore DB. Magnetic resonance imaging of coronary arteries: technique and preliminary results, **315**
see also Underwood SR and Pennell DJ
Pentecost B *see* Lynch M *et al*
Pepi M, Mrenzi GC, Agostoni PG, Doria E, Barbier P, Muratori M, Celeste F, Guazzi MD. Sustained cardiac diastolic changes elicited by ultrafiltration in patients with moderate congestive heart failure: pathophysiological correlates, **135**
Perrins EJ *see* Astridge PS *et al*
Petch MC *see* Chauhan A *et al*
Petitpretz P *see* Brenot F *et al*
Pillai RP *see* Amarasena NL *et al*
Pinto FJ *see* Chenzbraun A *et al*
Polak JM *see* Gaer JAR *et al*
Pool J *see* Algra A *et al*
Poole-Wilson PA *see* Anand IS *et al*
Brady AJB and Poole-Wilson PA
Holdright DR *et al*
Ludman PF and Poole-Wilson PA
Popp RL *see* Chenzbraun A *et al*
Popylisen S *see* Chenzbraun A *et al*
Powell A *see* Rankin AC *et al*
Proll E *see* Salzer-Muhar U *et al*
Pulles-Heintzberger CFM *see* Sreeram N *et al*

Quinn E *see* Lewis SJ *et al*
Qureshi SA, Tynan M. Developments in interventional cardiac catheterisation and progress in surgery for congenital heart disease: achieving a balance: *correspondence*, **96**
Quyyumi A *see* Patel D *et al*

Rabinovitch M *see* Houde C *et al*
Radzik D *see* Lemery R *et al*
Rae AP *see* Gemmill JD *et al*
Ranjadayalan K *see* Marchant B *et al*
Stevenson R *et al*
Stevenson RN *et al*
Rankin AC, Zaim S, Powell A, Zaim B, Brooks R, McGovern BA, Garan H, Ruskin JN. Efficacy of a tiered therapy defibrillator system used to treat recurrent ventricular arrhythmias refractory to drugs, **61**
Rauch B *see* Neumann F-J *et al*
Reardon M *see* Kearney P *et al*
Rees JR *see* Parry R *et al*
Reilly CS *see* Wilson AT and Reilly CS
Reisin L, Blayer Y, Manoach M. Spontaneous ventricular defibrillation: *correspondence*, **590**
Renaud S *see* Elwood PC *et al*
Reybrouck T, Gewillig M, Dumoulin M, van der Hauwaert LG. Cardiorespiratory exercise performance after Senning operation for transposition of the great arteries, **175**
Rhoden W *et al.* Anthracyclines and the heart: *review*, **499**
Riccabona M *see* Zenz W *et al*
Richardt G *see* Neumann F-J *et al*
Riemersma RA *see* Roberts TL *et al*
Rigby ML *see* Carvalho JS *et al*
Rittoo D *see* Groundstroem K *et al*
Roberts TL, Wood DA, Riemersma RA, Gallagher PJ, Lampe FC. Linoleic acid and risk of sudden cardiac death, **524**
Robinson JTC *see* Celermajer DSC *et al*
Roelandt JRTC *see* Algra A *et al*
Rosenqvist M, Bergfeldt L, Aili H, Mathé AA. Sinus node dysfunction during long-term lithium treatment, **371**
Roy D *see* Lemery R *et al*
Rüben A *see* Mühler EG *et al*
Rupprecht H-J *see* Dietz U *et al*
Ruskin JN *see* Rankin AC *et al*

Saito M *see* Abe Y *et al*
Saltissi S *see* McCrea WA and Saltissi S

Salzer-Muhar U, Proll E, Kronik G. Intercoronary collateral flow detected by Doppler colour flow mapping is an additional diagnostic sign in children with anomalous origin of the left coronary artery from the pulmonary artery, **558**
Sapin P *see* Gettes LS and Sapin P
Sapsford RN *see* Vigneswaran WT *et al*
Saraiva MJM *see* Hesse A *et al*
Schmidt EB *see* Kristensen SD *et al*
Schneider M *see* Neumann F-J *et al*
Schnittger I *see* Chenzbraun A *et al*
Schofield PM *see* Chauhan A *et al*
Schömig A see Neumann F-J *et al*
Schulz R *see* Breuer H-WM *et al*
Schweizer MWF, Brachmann J, Kirchner U, Walter-Sack I, Dickhaus H, Metze C, Kübler W. Heart rate variability in time and frequency domains: effects of gallopamil, nifedipine, and metoprolol compared with placebo, **252**
Scibilia G *see* Cugini P *et al*
Scott JP *see* Higenbottam TW *et al*
Shabbo FP *see* Parry GW *et al*
Shale DJ *see* Dutka DP *et al*
Shaper AG, Wannamethee G, Macfarlane PW, Walker M. Heart rate, ischaemic heart disease, and sudden cardiac death in middle-aged British men, **49**
Sherman W *see* Fujise K *et al*
Shinebourne EA *see* Carvalho JS *et al*
Shite J, Yokota Y, Yokoyama M. Heterogeneity and time course of improvement in cardiac function after cardioversion of chronic atrial fibrillation: assessment of serial echocardiographic indices, **154**
Silva CMC *see* Carvalho JS *et al*
Simonneau G *see* Brenot F *et al*
Sinclair M *see* Butler J *et al*
Singer H *see* Hofbeck M *et al*
Skehan JD *see* Forbat LN and Skehan JD
Skinner C *see* O'Hickey S *et al*
Skyschally A *see* Breuer H-WM *et al*
Slade AKB, Garratt CJ. Proarrhythmic effect of adenosine in a patient with atrial flutter: *case report*, **91**
Smeets JLRM *see* Cheriex EC *et al*
Sreeram N *et al*
Smith F *see* Cross SJ *et al*
Sneddon JF *see* Haywood GA *et al*
Sochowski RA *see* Giannoccaro PJ *et al*
Sowton E *see* Tan KH *et al*
Sparrow J *see* Patel D *et al*
Sparrow JL *see* Holdright DR *et al*
Spiegelhalter D *see* Higenbottam TW *et al*
Spodick DH. Is there such a thing as normal sinus rate? *correspondence*, **486**
Sreeram N, Smeets JLRM, Pulles-Heintzberger CFM, Wellens HJJ. Radiofrequency catheter ablation of accessory atrioventricular pathways in children and young adults, **160**
Sreeram N, Walsh K, Peart I. Recanalisation of an occluded modified Blalock-Taussig shunt by balloon dilatation: *case report*, **474**
Sridhara BS, Bhattacharya S, Liu XJ, Broadhurst P, Lahiri A. Rate of change of left ventricular ejection fraction during exercise is superior to the peak ejection fraction for predicting functionally significant coronary artery disease, **507**
Stanbridge RDL *see* Vigneswaran WT *et al*
Starkey IR *see* Currie P *et al*
Steinmetz A *see* Hesse A *et al*
Stevenson R, Ranjadayalan K, Wilkinson P, Marchant B, Timmis AD. Assessment of Holter ST monitoring for risk stratification in patients with acute myocardial infarction treated by thrombolysis, **233**
Umachandran V, Ranjadayalan K, Wilkinson P, Marchant B, Timmis AD. Reassessment of treadmill stress testing for risk stratification in patients with acute myocardial infarction treated by thrombolysis, **415**
see also Marchant B *et al*
Stevenson RN, Marchant BG, Ranjadayalan K, Uthayakumar S, Timmis AD. Holter ST monitoring early after acute myocardial infarction: mechanisms of ischaemia in patients treated by thrombolysis, **433**
Stockley RA *see* Lynch M *et al*
Struthers AD. Plasma concentrations of brain natriuretic peptide: will this new test reduce the need for cardiac investigations? *editorial*, **397**
Sulke N *see* Tan KH *et al*
Sullivan A *see* Patel D *et al*
Sullivan AK *see* Holdright DR *et al*
Sundsfjord JA *see* Omland T *et al*
Sutherland GR *see* Currie P *et al*
Sutherland GR *see* Groundstroem K *et al*
Suzuki K, Murakami Y, Mimori S. Multiple arterial stenoses of unknown aetiology in the coronary, cerebral, and brachial arteries: *case report*, **386**
Suzuki K, Murakami Y, Tatsuno K, Takahashi Y, Kikuchi T, Mori K, Mimori S. Atypical form of atrioventricular septal defect without left axis deviation: relation between morphology and unusual QRS axis, **180**
Swales JD. Muirhead's syndrome and medullipin. A new syndrome and a unique hypotensive agent: *editorial*, **211**

Takahashi Y *see* Suzuki K *et al*
Talajic M *see* Lemery R *et al*
Tan KH, Sulke N, Taub NA, Watts E, Karani S, Sowton E. Determinants of success of coronary angioplasty in patients with a chronic total occlusion: a multiple logistic regression model to improve selection of patients, **126**
Tanaka K *see* Bersin RM *et al*
Tatsuno K *see* Suzuki K *et al*
Taub NA *see* Tan KH *et al*
Taylor JFN *see* Celermajer DSC *et al*
Taylor KM *see* Gaer JAR *et al*
The SHK *see* Witsenburg M *et al*
Thibault G *see* Omland T *et al*
Thomas J *see* Lim R *et al*
Thomas M *see* de Belder A *et al*
Thorne SA. Restenosis and myointimal hyperplasia: *abstracts in cardiology*, **83**
Thuraisingham SI *see* Chauhan A *et al*
Thyss A *see* Hofman P *et al*
Tiede N *see* Kasper W *et al*
Tijssen JGP *see* Algra A *et al*
Till JA, Baxendall M, Benetar A. Acceleration of the ventricular response to atrial flutter by amiodarone in an infant with Wolff-Parkinson-White syndrome: *case report*, **84**
Tillmanns H *see* Neumann F-J *et al*
Timmis AD *see* Marchant B *et al*
Stevenson R *et al*
Stevenson RN *et al*
Treasure T. Damage to an internal mammary artery graft at dissection: *images in cardiology*, **390**
Imaging the dissected aorta: *editorial*, **497**
Tsintsof A, Delprado WJ, Keogh AM. Varicella zoster myocarditis progressing to cardiomyopathy and cardiac transplantation: *case report*, **93**
Tynan M *see* Qureshi SA and Tynan M

Umachandran V *see* Stevenson R *et al*
Underwood SR, Pennell DJ. Viable myocardium and reinjection of thallium: *correspondence reply*, **291**
see also Pennell DJ *et al*
Urban P *see* Mehan VK *et al*
Uren NG, Davies SW, Agnew JE, Irwin AG, Jordan SL, Hilson AJW, Lipkin DP. Reduction of mismatch of global ventilation and perfusion on exercise is related to exercise capacity in chronic heart failure, **241**
Uthayakumar S *see* Stevenson RN *et al*

Vaishnav S *see* Marchant B *et al*
van den Berg MP, Crijns HJGM, Gosselink ATM, van den Broek SAJ, Hillege HJ, van Veldhuisen DJ, Lie KI. Chronotropic response to exercise in patients with atrial fibrillation: relation to functional state, **150**
van den Broek SAJ *see* van den Berg MP *et al*
van der Hauwaert LG *see* Reybrouck T *et al*
Van Gilst W *see* Van Hemel NM *et al*
Van Hemel NM, Kingma JH, van Gilst W. Spontaneous ventricular defibrillation: *correspondence*, **590**
van Veldhuisen DJ *see* van den Berg MP *et al*
Venn GE *see* Wilmshurst PT *et al*
Vigneswaran WT, Sapsford RN, Stanbridge RDL. Disease of the left main coronary artery: early surgical results and their association with carotid artery stenosis, **342**
Vincent R *see* Lewis SJ *et al*
von Bernuth G *see* Mühler EG *et al*

Waine C, Hannaford P, Kay C. Early thrombolysis therapy: some issues facing general practitioners: *commentary*, **218**
Walker M *see* Shaper AG *et al*
Wallwork J *see* Higenbottam TW *et al*
Walsh K *see* Sreeram N *et al*
Walter-Sack I *see* Schweizer MWF *et al*
Walton S *see* Cross SJ *et al*
Wannamethee G *see* Shaper AG *et al*
Watts E *see* Tan KH *et al*
Webb-Peploe MM *see* Wilmshurst PT *et al*
Wedzicha JA *see* Davies SW and Wedzicha JA
Wehr M *see* Breuer H-WM *et al*
Weidmann S *see* Dietz U *et al*

Wellens HJJ *see* Cheriex EC *et al*
Sreeram N *et al*
Westaby S *see* Butler J *et al*
Wharton J *see* Gaer JAR *et al*
Wieshammer S, Hetzel M, Hetzel J, Kochs M, Hombach V. Lack of effect of nitrates on exercise tolerance in patients with mild to moderate heart failure caused by coronary disease already treated with captopril, **17**
Wild F *see* Hofbeck M *et al*
Wilde P *see* Parry R *et al*
Wilkinson P *see* Stevenson R *et al*
Williams BT *see* Jindani A and Williams BT
Willicombe PR *see* Wilmshurst PT *et al*
Wilmshurst P. Why inotropes continue to disappoint in heart failure: *editorial*, **4**
Wilmshurst PT, Venn GE, Eykyn SJ. Histoplasma endocarditis on a stenosed aortic valve presenting as dysphagia and weight loss: *case report*, **565**
Wilmshurst PT, Willicombe PR, Webb-Peploe MM. Effect of aortic valve replacement on syncope in patients with aortic stenosis, **542**
Wilson AT, Reilly CS. Hypoxia and the heart: *correspondence*, **98**
Witsenburg M, The SHK, Bogers AJJC, Hess J. Balloon angioplasty for aortic recoarctation in children: initial and follow up results and midterm effect on blood pressure, **170**
Wolfe C *see* Bersin RM *et al*
Wood DA *see* Roberts TL *et al*
Wright C *see* Patel D *et al*
Wright CA *see* Holdright DR *et al*

Yaginuma T *see* Abe Y *et al*
Yamamoto T *see* Abe Y *et al*
Yokota Y *see* Shite J *et al*
Yokoyama M *see* Shite J *et al*
Yudkin JS *see* Gray RP *et al*

Zaim B *see* Rankin AC *et al*
Zaim S *see* Rankin AC *et al*
Zenz W, Muntean W, Beitzke A, Zobel G, Riccabona M, Gamillscheg A. Tissue plasminogen activator (alteplase) treatment for femoral artery thrombosis after cardiac catheterisation in infants and children, **382**
Zobel G *see* Zenz W *et al*

VOLUME 70: SUBJECT INDEX

Accessory atrioventricular pathways, radiofrequency catheter ablation, in children and young adults, **160**
Accessory pathway, surgical interruption, two unusual complications after: *case report*, **471**
Acoustic quantification and Doppler echocardiography compared in assessment of left ventricular diastolic variables, **448**
Adenosine, proarrhythmic effect in patient with atrial flutter: *case report*, **91**
AIDS, toxoplasma myocarditis prevalence, **376**
Amiodarone
in acceleration of ventricular response to atrial flutter, infant with Wolff-Parkinson-White syndrome: *case report*, **84**
prophylaxis for tachycardias after coronary artery surgery, **56**
safety in children: *commentary*, **13**
Amyloid, thrombosis, and myocardial infarction, in association with bicuspid aortic valve: *case report*, **560**
Amyloidosis, cardiac, new transthyretin (prealbumin) variant, review and report, **111**
Anaemia, chronic severe, pathogenesis of oedema, studies of body water and sodium, renal function, haemodynamic variables, and plasma hormones, **357**
Angina
and myocardial ischaemia, in early post-infarction period, compared with stable coronary artery disease, **438**
stable, lack of rebound during intermittent transdermal treatment with glyceryl trinitrate in patients on background beta-blocker: *correspondence*, **486**
Angiographic diagnosis of anomalous coronary artery in tetralogy of Fallot, **75**
Angiography, coronary, in assessment of coronary artery anomalies, complementary role of transoesophageal echocardiography, **70**
Anterior descending coronary artery, large, isolated, congenital aneurysm: *case report*, **274**
Anthracycline, high dose, toxicity in children with malignant disease, cardioprotection by ICRF 187, **185**
Anthracyclines and the heart: *review*, **499**
Antiarrhythmic drugs
in atrial fibrillation: *editorial*, **304**
safety in children: *commentary*, **13**
Antibiotic prophylaxis for cardiac surgery, current United Kingdom practice: *audit*, **585**
Aorta, dissected, imaging: *editorial*, **497**
Aortic coarctation, evaluation after surgical repair, role of MRI and Doppler ultrasound: *measurement*, **285**
Aortic recoarctation in children, balloon angioplasty, initial and follow up results and midterm effect on blood pressure, **170**
Aortic stenosis
effect of aortic valve replacement on syncope, **542**
rapid progression in secondary hyperparathyroidism: *case report*, **282**
severe
in early infancy, balloon dilatation as first line treatment, medium term results and determinants of survival, **546**
pregnant patients, role of balloon dilatation of aortic valve, **544**
Aortic valve
bicuspid, in association with amyloid, thrombosis, and myocardial infarction: *case report*, **560**
replacement, effect on syncope in aortic stenosis, **542**
Aortocoronary vein graft, pseudoaneurysm, secondary to late venous rupture, case report and literature review, **189**
Aortogram, "laid-back", for improved visualisation of coronary artery fistula: *technique*, **272**
Arrhythmogenic right ventricular dysplasia: *correspondence*, **293**
Arterial stenoses, multiple, of unknown aetiology, in coronary, cerebral, and brachial arteries: *case report*, **386**
Astemizole ingestion concomitant with long QT syndrome, and cardiac arrest: *case report*, **469**
Atrial fibrillation
antiarrhythmic drugs: *editorial*, **304**
chronic, cardioversion, cardiac function after, ECG indices, **154**
chronotropic response to exercise, relation to functional state, **150**
Atrial flutter
amiodarone in acceleration of ventricular response, infant with Wolff-Parkinson-White syndrome: *case report*, **84**
proarrhythmic effect of adenosine: *case report*, **91**
Atrial natriuretic factor compared with N-terminal pro-atrial natriuretic factor, for prognostic significance in myocardial infarction, and clinical evaluation, **409**
Atrioventricular septal defect, without left axis deviation, atypical form, relation between morphology and unusual QRS axis, **180**
Balloon angioplasty, for aortic recoarctation, in children, initial and follow up results and midterm effect on blood pressure, **170**
Balloon dilatation
of aortic valve, role in pregnant patients with severe aortic stenosis, **544**
in recanalisation of occluded modified Blalock-Taussig shunt: *case report*, **474**
of supravalvar aortic stenosis, initial experience: *technique*, **476**
Balloon dilatation (valvoplasty), as first line treatment of severe aortic stenosis in early infancy, medium term results and determinants of survival, **546**
Balloon recanalisation of chronically occluded left internal mammary artery graft: *case report*, **195**
Beta blockers and the failing heart, is it time for a U-turn? *review*, **8**
Bicuspid aortic valve, in association with amyloid, thrombosis, and myocardial infarction: *case report*, **560**
Biplane transoesophageal imaging, additional value in assessment of mitral valve prostheses, **259**
Blalock-Taussig shunt, occluded modified, recanalisation by balloon dilatation: *case report*, **474**
Blindness, cortical, transient, after coronary angiography: *case report*, **563**
Borreliosis, causing complete heart block in 9 year old girl: *case report*, **88**
Brain natriuretic peptide, plasma concentrations, will this new test reduce need for cardiac investigations? *editorial*, **397**
British Cardiac Society Newsletter, **99**, **203**, **294**, **395**, **487**, **591**

Captopril treatment and lack of effect of nitrates on exercise tolerance, heart failure, **17**
Cardiac arrest in young woman with long QT syndrome and concomitant astemizole ingestion: *case report*, **469**
Cardiac catheterisation
diagnostic, complications, results from 34 041 patients in UK confidential enquiry into cardiac catheter complications, **297**
femoral artery thrombosis after, tissue plasminogen activator (alteplase) treatment, infants and children, **382**
Cardiac interventional procedures in the UK during 1991, **201**
Cardiac surgery, antibiotic prophylaxis, current United Kingdom practice: *audit*, **585**
Cardiac transplantation, following varicella zoster myocarditis progressing to cardiomyopathy: *case report*, **93**
Cardiomyopathy
intractable chest pain, treatment by novel technique of cardiac cryodenervation with quantitative immunohistochemical assessment of success, **574**
varicella zoster myocarditis progressing to, and cardiac transplantation: *case report*, **93**
Cardioversion of chronic atrial fibrillation, cardiac function after, ECG indices, **154**
Carditis, Lyme, United Kingdom perspective: *commentary*, **15**
Carotid artery stenosis, association with results of surgery for left main coronary artery disease, **342**
Catecholamine, circulating concentrations, and heart rate variability, during steady state exercise, healthy volunteers, **144**
Catheter ablation
low energy direct current and radiofrequency compared, in Wolff-Parkinson-White syndrome, **580**
radiofrequency, of accessory atrioventricular pathways, in children and young adults, **160**
Catheterisation
interventional, and surgical progress in congenital heart disease, achieving a balance: *correspondence*, **96**
previous, children and adolescents, vascular access, prospective study of 131 consecutive cases, **554**
Chemoattractants, cardiac release, after ischaemia induced by coronary balloon angioplasty, **27**
Chest pain
intractable, in cardiomyopathy, treatment by novel technique of cardiac cryodenervation with quantitative immunohistochemical assessment of success, **574**
and normal coronary arteries, coronary flow reserve, **513**
Chronotropic incompetence, proposal for definition and diagnosis, **400**
Churg Strauss vasculitis, recurrence in transplanted heart: *short cases in cardiology*, **553**
Circadian rhythm, of vasoactive intestinal peptide plasma concentrations, lack, in orthotopic heart transplants, **363**

Circulatory failure in septic shock, is nitric oxide too much of a good thing? *review*, 103
Complete heart block in 9 year old girl caused by borreliosis: *case report*, 88
Congenital heart disease, interventional catheterisation and surgical progress, achieving a balance: *correspondence*, 96
Congestive heart failure
importance of oxygen-haemoglobin binding to oxygen transport, 443
moderate, sustained cardiac diastolic changes elicited by ultrafiltration, pathophysiological correlates, 135
severe, TNF-alpha, 141
Coronary angiography, transient cortical blindness after: *case report*, 563
Coronary arteriography, use of remotely controlled mechanical pump, study of radiation exposure and quality implications: *technology*, 479
Coronary arteriovenous fistula, congenital, and endocarditis of the tricuspid valve: *case report*, 276
Coronary artery(ies)
anomalies, complementary role of transoesophageal echocardiography to coronary angiography in assessment, 70
anomalous, in tetralogy of Fallot, angiographic diagnosis, 75
anterior descending, large, isolated, congenital aneurysm: *case report*, 274
bypass surgery, transient ST segment changes after, prognostic significance, 40 year follow up, 337
disease
endothelium dependent and independent responses measured at angioplasty, 35
and falsely negative and falsely positive ECG responses to exercise: *editorial*, 205
novel approach to interpretation of long-term "deterioration" in ejection fraction, 226
rate of change of left ventricular ejection fraction during exercise for predicting, 507
fistula, improved visualisation by "laid-back" aortogram: *technique*, 272
left main, disease, early surgical results and their association with carotid artery stenosis, 342
MRI, technique and preliminary results, 315
stenoses and occlusions, high frequency rotational ablation an alternative treatment, 327
surgery, tachycardias after, amiodarone prophylaxis, 56
see also Left coronary artery
Coronary bypass surgery, or PTCA, in patients 75 or older, initial and long-term results, 122
Coronary flow reserve in chest pain and normal coronary arteries, 513
Coronary thrombosis, acute, pathological concepts, relevance to treatment: *review*, 403
Cost effectiveness of prophylaxis in dental practice to prevent infective endocarditis: *audit*, 79: *correspondence*, 591
Cryodenervation, cardiac, in intractable chest pain in cardiomyopathy, 574

Defibrillator system, tiered, used to treat recurrent ventricular arrhythmias refractory to drugs, efficacy, 61
Dental practice, cost effectiveness of prophylaxis to prevent infective endocarditis: *audit*, 79: *correspondence*, 591
Diabetic patient, enzymatic evidence of impaired reperfusion after thrombolysis for myocardial infarction, role for plasminogen activator inhibitor, 530
Diastolic changes, cardiac, sustained, elicited by ultrafiltration, in moderate congestive heart failure, pathophysiological correlates, 135
Dissected aorta, imaging: *editorial*, 497
Doppler colour flow mapping, in detection of intercoronary collateral flow, additional diagnostic sign in children with anomalous origin of left coronary artery from pulmonary artery, 558
Doppler echocardiography
ability to distinguish between acute and subacute massive pulmonary embolism, 352
and acoustic quantification compared in assessment of left ventricular diastolic variables, 448
Doppler flow velocity profile, through mitral valve, determinants, human fetus, 457
Doppler ultrasound, role in evaluation of aortic coarctation after surgical repair: *measurement*, 285
Dual chamber pacing, for hypertrophic obstructive cardiomyopathy, has its time come? *editorial*, 301
Ductus arteriosus, small: *correspondence*, 98
Dysphagia and weight loss, *Histoplasma* endocarditis on stenosed aortic valve presenting as: *case report*, 565
Dysplasia, right ventricular, arrhythmogenic: *correspondence*, 293

Echocardiography, Doppler and conventional, ability to distinguish between acute and subacute massive pulmonary embolism, 352
Ejection fraction, in coronary artery disease, novel approach to interpretation of long-term "deterioration", 226
Electrocardiogram
24 hour, contribution to prediction of sudden coronary death, 421
interpretation in general practice, relevance to prehospital thrombolysis, 219
Electrocardiographic responses, falsely negative and falsely positive, to exercise: *editorial*, 205
Endocarditis
Histoplasma, on stenosed aortic valve presenting as dysphagia and weight loss: *case report*, 565
of the tricuspid valve, associated with congenital coronary arteriovenous fistula: *case report*, 276
Endothelium dependent and independent responses in coronary artery disease measured at angioplasty, 35
Exercise
after heart transplantation, increased renal and forearm vasoconstriction in response to, 247
capacity, in chronic heart failure, and reduction of mismatch of global ventilation and perfusion, 241
cardiorespiratory performance after Senning operation for transposition of great arteries, 175
chronotropic response, in patients with atrial fibrillation, relation to functional state, 150
in coronary artery disease, changes in myocardial perfusion and function, gated MIBI scintigraphy, 22
falsely negative and falsely positive electrocardiographic responses: *editorial*, 205
steady state, heart rate variability and circulating catecholamine concentrations during, healthy volunteers, 144
testing, after myocardial infarction treated by thrombolysis, selection of patients, 399

Femoral artery thrombosis, after cardiac catheterisation, tissue plasminogen activator (alteplase) treatment, infants and children, 382
Fenfluramine, and primary pulmonary hypertension, 537
Fetal flow velocity profile through mitral valve, 457
Fibrinogen, plasma, does weight loss reduce? *commentary*, 116
Fibrocellular intimal hyperplasia, control after angioplasty, therapeutic approaches: *editorial*, 1
Fish oil, and ischaemic heart disease: *review*, 212
Flecainide, safety in children: *commentary*, 13
Fontan circulation, ventricular pacing from coronary sinus, 578
Forearm vasoconstriction, increased, in response to exercise after heart transplantation, 247

Gallopamil, nifedipine, and metoprolol, compared with placebo, and heart rate variability, 252
Gated MIBI scintigraphy, myocardial perfusion and function changes on exercise in coronary artery disease, 22
General practice, ECG interpretation, relevance to prehospital thrombolysis, 219
General practitioners
and early thrombolysis, issues facing: *commentary*, 218
and myocardial infarction treatment, place of thrombolysis: *viewpoint*, 215
Glyceryl trinitrate, intermittent transdermal treatment in patients with stable angina on background beta-blocker, lack of rebound during: *correspondence*, 486

Haemodynamic variables, in chronic severe anaemia, 357
Heart, transplanted, recurrence of Churg Strauss vasculitis: *short cases in cardiology*, 553
Heart failure
chronic, exercise capacity, reduction of mismatch of global ventilation and perfusion, 241
ischaemic, is prevention in sight? *editorial*, 5
lack of effect of nitrates on exercise tolerance, and captopril treatment, 17
Heart-lung transplantation, and prostacyclin (epoprostenol), as treatments for severe pulmonary hypertension, 366
Heart rate
ischaemic heart disease, and sudden cardiac death, middle-aged British men, 49
variability
and circulating catecholamine concentrations, during steady state exercise, healthy volunteers, 144
in time and frequency domains, effects of gallopamil, nifedipine, and metoprolol compared with placebo, 252
Heart transplantation
exercise after, increased renal and forearm vasoconstriction in response to, 247
orthotopic, lack of circadian rhythm of vasoactive intestinal peptide plasma concentrations, 363
permanent pacing after: *correspondence*, 590

High frequency rotational ablation, alternative in treating coronary artery stenoses and occlusions, **327**
Histoplasma endocarditis on stenosed aortic valve presenting as dysphagia and weight loss: *case report*, **565**
Holter ST monitoring
assessment for risk stratification in myocardial infarction treated by thrombolysis, **233**
early after myocardial infarction, ischaemia mechanisms and thrombolysis treatment, **433**
Hormones, plasma, in chronic severe anaemia, **357**
Hyperparathyroidism
primary, presenting as torsades de pointes: *short cases in cardiology*, **473**
secondary, and rapid progression of mitral and aortic stenosis: *case report*, **282**
Hypertrophic obstructive cardiomyopathy, dual chamber pacing, has its time come? *editorial*, **301**
Hypoxia and the heart: *correspondence*, **98**

ICRF187, cardioprotection against high dose anthracycline toxicity in children with malignant disease, **185**
Imaging the dissected aorta: *editorial*, **497**
Infective endocarditis, prevention, cost effectiveness of prophylaxis in dental practice: *audit*, **79**: *correspondence*, **591**
Inotropes continue to disappoint in heart failure, reasons: *editorial*, **4**
Intercoronary collateral flow detected by Doppler colour flow mapping, additional diagnostic sign in children with anomalous origin of left coronary artery from pulmonary artery, **558**
Interleukin-8, transient rise in serum concentration during myocardial infarction, **132**
Intermittent transdermal treatment with glyceryl trinitrate, in patients with stable angina on background beta-blocker, lack of rebound during: *correspondence*, **486**
Internal mammary artery graft, damage at dissection: *images in cardiology*, **390**
Ischaemia, myocardial, and angina, in early post-infarction period, compared with stable coronary artery disease, **438**
Ischaemic heart disease
and fish oil: *review*, **212**
heart rate, and sudden cardiac death, middle-aged British men, **49**
temperature and risk factors, Caerphilly prospective study, **520**

Left coronary artery
anomalous origin from pulmonary artery, intercoronary collateral flow detected by Doppler colour flow mapping as additional diagnostic sign, **558**
origin from right coronary sinus, and atypical ventricular tachycardia and syncope: *case report*, **391**
Left internal mammary artery graft, chronically occluded, balloon recanalisation: *case report*, **195**
Left main coronary artery, disease, early surgical results and their association with carotid artery stenosis, **342**
Linoleic acid, and sudden cardiac death risk, **524**
Lithium, sinus node dysfunction during long-term treatment, **371**
Long QT syndrome, with concomitant astezimole ingestion, and cardiac arrest: *case report*, **469**
Lyme carditis, United Kingdom perspective: *commentary*, **15**

Mackenzie, Sir James, how John Parkinson did the post mortem: *views from the past*, **587**
Magnetic resonance angiography in subclavian steal syndrome: *case report*, **193**
Magnetic resonance imaging
of coronary arteries, technique and preliminary results, **315**
role in evaluation of aortic coarctation after surgical repair: *measurement*, **285**
Medullipin, and Muirhead's syndrome, new syndrome and unique hypotensive agent: *editorial*, **211**
Metoprolol, nifedipine, and gallopamil, compared with placebo, and heart rate variability, **252**
Mitral stenosis, rapid progression in secondary hyperparathyroidism: *case report*, **282**
Mitral valve, Doppler flow velocity profile, determinants, human fetus, **457**
Mitral valve prostheses, assessment, additional value of biplane transoesophageal imaging, **259**
Muirhead's syndrome and medullipin, new syndrome and unique hypotensive agent: *editorial*, **211**
Myocardial infarction
acute anterior, and intractable ventricular arrhythmias, emergency PTCA: *correspondence*, **485**
amyloid, and thrombosis, in association with bicuspid aortic valve: *case report*, **560**
and early thrombolysis, role of GPs: *commentary*, **218**
first, in patients under 60 years old, role of exercise tests and symptoms in deciding whom to catheterise, **428**
Holter ST monitoring early after, ischaemia mechanisms and thrombolysis treatment, **433**
N-terminal pro-atrial natriuretic factor and atrial natriuretic factor compared, and clinical evaluation, **409**
role of GPs and thrombolysis: *viewpoint*, **215**
streptokinase neutralisation titres up to 866 days after intravenous streptokinase, **119**
suspected, thrombolysis, suitability of assessment by GPs, **503**
transient rise in serum IL-8 concentration during, **132**
treated by thrombolysis
assessment of Holter ST monitoring for risk stratification, **233**
exercise testing after, selection of patients, **399**
treadmill stress testing for risk stratification, reassessment, **415**
Myocardial perfusion, in humans, what can we measure? *review*, **307**
Myocardium, viable, and reinjection of thallium: *correspondence*, **291**
Myointimal hyperplasia and restenosis: *abstracts in cardiology*, **83**

N-terminal pro-atrial natriuretic factor (1-98), prognostic significance in myocardial infarction, comparison with atrial natriuretic factor (99–126) and clinical evaluation, **409**
Nifedipine, gallopamil, and metoprolol, compared with placebo, and heart rate variability, **252**
Nitrates, lack of effect on exercise tolerance in heart failure, and captopril treatment, **17**
Nitric oxide, role in circulatory failure in septic shock: *review*, **103**
Notices, **100**, **204**, **396**, **488**, **592**

Occlusion, chronic total, PTCA, determinants of success, **126**
Oedema, pathogenesis in chronic severe anaemia, studies of body water and sodium, renal function, haemodynamic variables, and plasma hormones, **357**
Orthotopic heart transplants, lack of circadian rhythm of vasoactive intestinal peptide plasma concentrations, **363**
Oxygen-haemoglobin binding to oxygen transport, importance in congestive heart failure, **443**

Pacing
antitachycardia, for control of recurrent supraventricular tachycardia, financial audit: *correspondence*, **292**
permanent, after cardiac transplantation: *correspondence*, **590**
ventricular, from coronary sinus of patient with Fontan circulation, **578**
Paediatric patients, with pulmonary hypertension, judged by responsiveness to vasodilators, profile, **461**
Parkinson, Sir John, how he did the post mortem on Sir James Mackenzie: *views from the past*, **587**
Percutaneous transluminal coronary angioplasty
in chronic total occlusion, determinants of success, **126**
or coronary bypass surgery, in patients 75 or older, initial and long-term results, **122**
emergency, for intractable ventricular arrhythmias associated with acute anterior myocardial infarction: *correspondence*, **485**
fibrocellular intimal hyperplasia after, control, therapeutic approaches: *editorial*, **1**
ischaemia induced by, cardiac release of chemoattractants, **27**
measurement of endothelium dependent and independent responses in coronary artery disease, **35**
Perfusion, myocardial, and function, changes on exercise, coronary artery disease, gated MIBI scintigraphy, **22**
Phospholipid antibodies, and life-threatening right ventricular thrombosis: *case report*, **279**
Plasminogen activator inhibitor, in diabetic patients after thrombolysis for myocardial infarction with enzymatic evidence for impaired reperfusion, **530**
Postoperative cardiac surgical care, alternative approach: *correspondence*, **98**
Pregnant patients with severe aortic stenosis, role of balloon dilatation of aortic valve, **544**
Primary pulmonary hypertension, and fenfluramine use, **537**
Prostacyclin (epoprostenol), and heart-lung transplantation, as treatments for severe pulmonary hypertension, **366**
Prosthetic mitral valve, thrombosed, transoesophageal echocardiography diagnosis, thrombolysis as emergency treatment: *case report*, **198**
Prosthetic valves, thrombosed, thrombolysis: *abstracts in cardiology*, **200**
Pseudoaneurysm of aortocoronary vein graft secondary to late venous rupture, case report and literature review, **189**
Pulmonary embolism, acute and subacute massive, distinguishing between by conventional and Doppler echocardiography, **352**
Pulmonary hypertension
paediatric patients, judged by responsiveness to vasodilators, profile, **461**
primary, and fenfluramine use, **537**
severe, prostacyclin (epoprostenol) and heart-lung transplantation as treatments, **366**

QT interval variables from 24 hour electrocardiography and two year risk of sudden death, **43**

Radiation exposure, use of remotely controlled mechanical pump for coronary arteriography, **479**
Radiation hazards to the cardiologist, **489**
Radiofrequency catheter ablation of accessory atrioventricular pathways, in children and young adults, **160**
Renal and forearm vasoconstriction, increased, in response to exercise after heart transplantation, **247**
Renal function, in chronic severe anaemia, **357**
Reperfusion, impaired, enzymatic evidence in diabetic patients after thrombolysis for myocardial infarction, role for plasminogen activator inhibitor, **530**
Restenosis and myointimal hyperplasia: *abstracts in cardiology*, **83**
Resuscitation, out-of-hospital, East Sussex, 1981 to 1989, **568**
Risk factors, and temperature, for ischaemic heart disease, Caerphilly prospective study, **520**
Romano-Ward syndrome, left and right ventricular function, **266**

St Jude valve, thrombolysis as first line therapy for cardiac valve thrombosis: *abstracts in cardiology*, **200**
Salt and water retention, in chronic severe anaemia, **357**
Senning operation for transposition of the great arteries, cardiorespiratory exercise performance after, **175**
Septic shock, circulatory failure, is nitric oxide too much of a good thing? *review*, **103**
Sinus node dysfunction during long-term lithium treatment, **371**
Sinus rate, normal, is there such a thing? *correspondence*, **486**
Streptokinase
antibodies, are they clinically important? *editorial*, **101**: *correspondence*, **590**
neutralisation titres up to 866 days after intravenous streptokinase for acute myocardial infarction, **119**
resistance, when might streptokinase administration be ineffective? *correspondence*, **97**
Stress echocardiography, time for critical reappraisal: *editorial*, **208**
Subclavian steal syndrome, MRA: *case report*, **193**
Sudden cardiac death
heart rate, and ischaemic heart disease, middle-aged British men, **49**
prediction, contribution of 24 hour electrocardiogram, **421**
risk, and linoleic acid, **524**
two year risk, QT interval variables from 24 hour electrocardiography, **43**
Supravalvar aortic stenosis, balloon dilatation, initial experience: *technique*, **476**
Supraventricular tachycardia, recurrent, antitachycardia pacing for control, financial audit: *correspondence*, **292**
Syncope in aortic stenosis, effect of aortic valve replacement, **542**
Syndrome X, clinical presentation and functional prognosis, **346**

Tachycardia
after coronary artery surgery, amiodarone prophylaxis, **56**
automatic detection and diagnosis, current approaches and future developments: *review*, **106**
Temperature and risk factors for ischaemic heart disease, Caerphilly prospective study, **520**
Tetralogy of Fallot, angiographic diagnosis of anomalous coronary artery, **75**
Thallium, reinjection, and viable myocardium: *correspondence*, **291**
Thoracic aorta, traumatic rupture, diagnosed by transoesophageal echocardiography: *case report*, **393**
Thrombolysis
assessment by GPs for suspected myocardial infarction, **503**
early, some issues facing GPs: *commentary*, **218**
as emergency treatment for thrombosed prosthetic mitral valve diagnosed by transoesophageal echocardiography: *case report*, **198**
for myocardial infarction
assessment of Holter ST monitoring for risk stratification, **233**
enzymatic evidence of impaired reperfusion in diabetic patients after, role for plasminogen activator inhibitor, **530**
exercise testing after, selection of patients, **399**
Holter ST monitoring early after, ischaemia mechanisms, **433**
reassessment of treadmill stress testing for risk stratification, **415**
in myocardial infarction, role of GPs: *viewpoint*, **215**
prehospital, relevance of ECG interpretation in general practice, **219**
for thrombosed prosthetic valves: *abstracts in cardiology*, **200**
Thrombosis
amyloid, and myocardial infarction, in association with bicuspid aortic valve: *case report*, **560**
coronary, acute, pathological concepts, relevance to treatment: *review*, **403**
femoral artery, after cardiac catheterisation, tissue plasminogen activator (alteplase) treatment, infants and children, **382**
Tissue plasminogen activator (alteplase), for femoral artery thrombosis after cardiac catheterisation, infants and children, **382**
Torsades de pointes, primary hyperparathyroidism presenting as: *short cases in cardiology*, **473**
Toxoplasma myocarditis, prevalence in AIDS, **376**
Transient ST segment changes after coronary artery bypass surgery, prognostic significance, 4–10 year follow up, **337**
Transient ventricular fibrillation: *correspondence*, **590**
Transoesophageal echocardiography
complementary to coronary angiography, in assessment of coronary artery anomalies, **70**
in diagnosis of thrombosed prosthetic mitral valve, thrombolysis as emergency treatment: *case report*, **198**
in diagnosis of traumatic rupture of thoracic aorta: *case report*, **393**
Transposition of the great arteries, cardiorespiratory exercise performance after Senning operation, **175**
Transthyretin (prealbumin), new variant, cardiac amyloidosis, review and report, **111**
Treadmill stress testing for risk stratification in myocardial infarction treated by thrombolysis, reassessment, **415**
Tricuspid valve, endocarditis, associated with congenital coronary arteriovenous fistula: *case report*, **276**
Tumour necrosis factor alpha, in severe congestive heart failure, **141**
Tumours, cardiac, in childhood, 10 year review, **166**

Varicella zoster myocarditis progressing to cardiomyopathy and cardiac transplantation: *case report*, **93**
Vascular access in previously catheterised children and adolescents, prospective study of 131 consecutive cases, **554**
Vasoactive intestinal peptide plasma concentrations, lack of circadian rhythm, in orthotopic heart transplants, **363**
Vasodilators, responsiveness of paediatric patients with pulmonary hypertension, profile, **461**
Ventilation and perfusion, global, reduction of mismatch, and exercise capacity in chronic heart failure, **241**
Ventricle, ventricular
arrhythmias
intractable, associated with acute anterior myocardial infarction, emergency PTCA: *correspondence*, **485**
recurrent, refractory to drugs, tiered defibrillatory system, efficacy, **61**
defibrillation, spontaneous: *correspondence*, **590**
function, left and right, in Romano-Ward syndrome, **266**
left
diastolic variables, assessment, acoustic quantification and Doppler echocardiography compared, **448**
ejection fraction, rate of change during exercise for predicting coronary artery disease, **507**
right
dysplasia, arrhythmogenic: *correspondence*, **293**
thrombosis, life-threatening, in association with phospholipid antibodies: *case report*, **279**
tachycardia, atypical, and syncope, with left coronary artery origin from right coronary sinus: *case report*, **391**
Ventritex Cadence V-100, evaluation, for recurrent ventricular arrhythmias refractory to drugs, **61**

Weight loss, does it reduce plasma fibrinogen: *commentary*, **116**
Wolff-Parkinson-White syndrome
acceleration of ventricular response to atrial flutter by amiodarone: *case report*, **84**
low energy direct current and radiofrequency ablation compared, **580**
two unusual complications after surgical interruption of accessory pathway: *case report*, **471**